

FL – L.YELLOW, GREEN, PINK, ORANGE, G. YELLOW/70 SCK

Face Stock : Fluorescent Paper - 70 GSM \pm 10%

Adhesive : Acrylic Emulsion.


Base Stock : Super Calendered Paper – 65 GSM \pm 10%

Adhesive Coat Weight : 20 GSM \pm 10%.

Loop Value : Above 600 Grams/Sq.inch

Shear Value : Between 50 to 100 Minutes (Suspended Weight – 1 kg)

Peel Value : 1200-1600 Grams/inch.



PRINT APPLICATION			
OFFSET	FLEXO	BARCODE	DIGITAL
✓	✓	NR	NR
NR – NOT RECOMMENDED			