

OPQ. GLOSS/60 G

Face Stock : PET – Opaque Gloss - 46 microns \pm 5%.

Adhesive : Acrylic Emulsion.


Base Stock : Glassine paper - 58 GSM \pm 10%.

Adhesive Coat Weight : 20 GSM \pm 10%.

Loop Value : Above 600 Grams/Sq.inch

Shear Value : Between 50 to 150 Minutes (Suspended Weight – 1 kg)

Peel Value : 1200-1400 Grams/inch.



PRINT APPLICATION			
OFFSET	FLEXO	BARCODE	DIGITAL
NR	✓	✓	NR
NR – NOT RECOMMENDED			