

## **SYN GLOSS/60 G**

**Face Stock : PP - Opaque Gloss - 65 microns  $\pm$  5%.**

**Adhesive : Acrylic Emulsion.**


**Base Stock : Glassine paper - 58 GSM  $\pm$  10%.**

**Adhesive Coat Weight : 20 GSM  $\pm$  10%.**

**Loop Value : Above 600 Grams/Sq.inch**

**Shear Value : Between 50 to 150 Minutes (Suspended Weight – 1 kg)**

**Peel Value : 1200-1400 Grams/inch.**



PRINT APPLICATION			
OFFSET	FLEXO	BARCODE	DIGITAL
NR	✓	✓	NR
NR – NOT RECOMMENDED			